



Municipal COVID-19 Epidemiological Response: Level of Satisfaction among Households in Esperanza, Sultan Kudarat

E. Lasanas, C. Garcia, J. Tabago, A.P. Matampay*

Sultan Kudarat State University, Tacurong City, 9800 Sultan Kudarat, the Philippines

Correspondence: E-mail: ejlasanas@sksu.edu.ph

ABSTRACT

This study was carried out to statistically quantify the level of satisfaction among residents in Esperanza, Sultan Kudarat, and the level of effectivity of the municipal COVID-19 epidemiological response team on COVID-19 response. In the Philippines, from the initial studies and information about the nature and behavior of the virus, the government settles on a plan of action around what mitigation strategies and control measures to implement. This present study was conducted to find out the level of satisfaction among the 30 selected respondents from seven reachable rural barangay in Esperanza, the Philippines in terms of food support, public health and safety protocols, as well as news and updates dissemination. Based on the result of the study, the level of effectiveness in terms of food support, implementation of public health and safety protocols, as well as news and updates dissemination is described as satisfied. It implies that the municipal COVID-19 epidemiological response team is effective. The result of this study will create a huge impact in the field of COVID-19 response in the Philippines, making the government aware of their plans such as mitigation strategies and control measures implemented, knowing the sentiments of the Filipino citizen amid a pandemic.

ARTICLE INFO

Article History:

Submitted/Received 21 Mar 2021

First revised 7 May 2021

Accepted 11 Jun 2021

First available online 11 Jun 2021

Publication date 01 Sep 2021

Keyword:

COVID-19,

Esperanza Sultan Kudarat,

Epidemiological,

Food support,

Level of satisfaction,

News and updates dissemination

Public health and safety

Protocols,

Response

1. INTRODUCTION

The emergence of COVID- 19 pandemic has caused havoc world-wide. Many researchers have reported the ways how to against Covid-19 pandemic (Machmud and Minghat, 2020; Putra and Abidin, 2020; Anggraeni *et al.*, 2020; Razon, 2020; Hamidah *et al.*, 2020; Hashim *et al.*, 2020; Dirgantari *et al.*, 2020; Mulyanti *et al.*, 2020; Sangsawang, 2020; Hasanah *et al.*, 2020). Countries and governments have faced the challenge of implementing response strategies to manage local transmission (Lau *et al.*, 2020). In the Philippines, the government settle on a plan of action around what mitigation strategies and control measures to implement. Given the initial studies and information about the virus, responses to these cases must strictly observe and implement. Hence, this study was carried out to determine the level of satisfaction among residents in Esperanza, Sultan Kudarat on municipal COVID- 19 epidemiological response.

Kilbourn (2006) stated that the researchers must situate their work in relation to existing research. To accomplish Kilbourn's directive, this study referred to the following researches: a. the adequacy of the Philippine response on COVID- 19 (Albert, J.R.), b. evaluation on existential crisis of Filipinos during the COVID-19 pandemic crisis (Nicomedes *et al.*, 2020; Galanakis, 2020; Guida, 2020) c. sentiment analysis of Filipinos to coronavirus (Covid-19) pandemic (Pastor, 2020), d. Philippines' Pandemic Response: A Tragedy of Errors. (Beltran, 2020). e. impact of the COVID-19 crisis on households in the Philippines. However, there is no study regarding the level of satisfaction of the citizen on Covid- 19 epidemiological response.

The purpose of this study is to quantify the level of effectivity of municipal COVID-19 epidemiological response to meet the level of satisfaction among the respondents. It is unique from the existing studies as it focuses on the level of satisfaction on COVID- 19 response, the level of effectivity of COVID- 19 response team and its significance in the field of COVID- 19 response in Philippines.

2. METHODS

This study was designed as survey research under quantitative research approach. Purposive sampling design was utilized in this study. There were 30 selected respondents from seven reachable rural barangay in the municipality of Esperanza, Sultan Kudarat.

Figure 1 shows the data gathering procedure. The first step taken was to ask the respondent's consent to be involved in the research. The data was gathered through an in-depth online survey. To be accredited in gathering data, the researchers notified the participants through a consent form containing the information of the study. Google form was used to the gather data. After data gathering, the researchers immediately treated the data with statistical tools appropriate for the statement of the problem.




Figure 1. Data gathering procedure

3. RESULTS AND DISCUSSION

3.1. Level of effectivity of the municipal COVID - 19 epidemiological response team among the households in Esperanza.

Table 1 reveals the level of effectivity of the municipal COVID - 19 epidemiological response team of Esperanza. In terms of food support, the municipal COVID- 19 epidemiological response team of Esperanza is effective with a mean of 3.515 and a standard deviation of 1. In terms of the implementation of public health and safety protocols, the COVID- 19 response team is effective with a mean of 3.79 and standard deviation of 0.87. Likewise, the news and updates dissemination is also effective with a mean of 3.75 and standard deviation of 0.97. Therefore, the municipal COVID- 19 epidemiological response team of Esperanza with the total mean of 3.69 and standard deviation of 0.95 in favor of the 30 selected household is statistically proven effective.

3.2. Level of satisfaction among the households in Esperanza, Sultan Kudarat on municipal COVID- 19 epidemiological response.

Table 2 shows the level of satisfaction among the respondents on the municipal COVID-19 epidemiological response of Esperanza. In terms of food support, the municipal COVID- 19 epidemiological response of Esperanza is neutral with a mean of 3.34 and a standard deviation of 1.04. In terms of the implementation of public health and safety protocols, respondents is satisfied with a mean of 3.69 and standard deviation of 0.92. On the other hand, the respondents on the news and updates dissemination is neutral with a mean of 3.59 and standard deviation of 0.93. Therefore, the municipal COVID- 19 epidemiological response of Esperanza with the total mean of 3.69 and standard deviation of 0.95 in favor of the 30 selected household is statistically proven satisfied.

The COVID-19 pandemic has drastically changed the order of urban life because of the necessity of socializing to reduce the spread of disease. On the other hand, food services, security, medical care, news and updates are needed by the community (Guida, and Carpentieri, 2021; Rahimi & Talebi, 2020). Therefore, the distribution of public services is also clearly needed to ensure the survival of the community during a pandemic.

Table 1. Level of effectivity of the municipal COVID-19 epidemiological response team of Esperanza in terms of food support, public health and safety, and news and updates

Parameters	n	Mean	SD	Interpretation
Food Support	30	3.515	1	Effective
Public Health and Safety		3.79	0.87	Effective
News and Updates Dissemination		3.75	0.97	Effective
Total		3.69	0.95	Effective

Table 2. Level of satisfaction of the municipal COVID-19 epidemiological response team among the households in Esperanza, in terms of food support, public health and safety, and news and updates dissemination

Parameters	n	Mean	SD	Interpretation
Food		3.32	1.06	Natural
Safety	30	3.69	0.92	Satisfied
News and Updates		3.59	0.93	Satisfied
Total		3.53	0.97	Satisfied

3.3. The Relationship between the Level of Effectivity and Level of Satisfaction among Households in Esperanza, Sultan Kudarat on the Municipal Covid- 19 Epidemiological Response

Table 3 justifies that there is a significant relationship between the level of effectivity of the municipal COVID – 19 epidemiological response team and level of satisfaction of the municipal COVID – 19 epidemiological response among the respondents as implied by the Pearson Correlation test at 0.05 level of significance. It also implies a very strong linear relationship with a Pearson Correlation Coefficient of 0.99. Therefore, the null hypothesis is rejected.

COVID-19 is an infectious disease that requires priority treatment (Song *et al.*, 2020). Therefore an effective epidemiological response from the government is urgently needed. The results of this study have shown good handling of the pandemic that occurred. This is evidenced by a good level of community satisfaction.

4. CONCLUSION

Pursuant to the results of the study, the following conclusions were made, the municipal COVID-19 epidemiological response team of Esperanza is effective, the level of satisfaction among the respondents on municipal COVID-19 epidemiological response is satisfied. There is a significant relationship between the level of satisfaction and efficacy of the municipal COVID– 19 epidemiological response.

Table 3. Relationship between the level of effectivity and the level satisfaction of the epidemiological response in Esperanza, Sultan Kudarat

Sources of Variation	Pearson Correlatin r	Sig. (2 – tailed)	n	Interpretation
Efficacy and level of satisfaction	0.99**	0.09	30	There is significant relationship

6. ACKNOWLEDGEMENTS

We gratefully express their deepest gratitude to those significant persons who contributed their time and effort for the realization of this study to wit: research adviser, school, friends, family and most of all to Almighty God.

5. AUTHORS' NOTE

The authors declare that there is no conflict of interest regarding the publication of this article. Authors confirmed that the paper was free of plagiarism.

7. REFERENCES

- Anggraeni, S., Maulidina, A., Dewi, M. W., Rahmadianti, S., Rizky, Y. P. C., Arinalhaq, Z. F., and Al-Obaidi, A. S. M. (2020). The deployment of drones in sending drugs and patient blood samples COVID-19. *Indonesian Journal of Science and Technology*, 5(2), 193-200.
- Beltran, M., The Philippines' Pandemic Response: A Tragedy of Errors, 2020.
- Dirgantari, P. D., Hidayat, Y. M., Mahphoth, M. H., and Nugraheni, R. (2020). Level of use and satisfaction of e-commerce customers in covid-19 pandemic period: An information system success model (ISSM) approach. *Indonesian Journal of Science and Technology*, 5(2), 261-270.
- Galanakis, C. M. (2020). The food systems in the era of the coronavirus (COVID-19) pandemic crisis. *Foods*, 9(4), 523.
- Guest, J. L., Del Rio, C., and Sanchez, T. (2020). The three steps needed to end the COVID-19 pandemic: bold public health leadership, rapid innovations, and courageous political will. *JMIR Public Health and Surveillance*, 6(2), e19043.
- Guida, C., and Carpentieri, G. (2021). Quality of life in the urban environment and primary health services for the elderly during the Covid-19 pandemic: An application to the city of Milan (Italy). *Cities*, 110, 103038.
- Hamidah, I., Sriyono, S., and Hudha, M. N. (2020). A Bibliometric analysis of Covid-19 research using VOSviewer. *Indonesian Journal of Science and Technology*, 5(2), 209-216.
- Hasanah, L., Hakim, W. L., Aminudin, A., Sahari, S. K., and Mulyanti, B. (2020). A design and performance analysis of a telemetry system for remote monitoring of turbidity of water during the covid-19 pandemic. *Indonesian Journal of Science and Technology*, 5(2), 299-307.
- Hashim, S., Masek, A., Abdullah, N. S., Paimin, A. N., and Muda, W. H. N. W. (2020). Students' intention to share information via social media: A case study of COVID-19 pandemic. *Indonesian Journal of Science and Technology*, 5(2), 236-245.
- Lau, L. L., Hung, N., and Wilson, K., COVID-19 response strategies: considering inequalities between and within countries 2020.
- Machmud, A., and Minghat, A. D. B. (2020). The price dynamics of hand sanitizers for COVID-19 in Indonesia: Exponential and cobweb forms. *Indonesian Journal of Science and Technology*, 5(2), 176-184.

- Mulyanti, B., Purnama, W., and Pawinanto, R. E. (2020). Distance learning in vocational high schools during the covid-19 pandemic in West Java province, Indonesia. *Indonesian Journal of Science and Technology*, 5(2), 271-282.
- Nasution, A. R. and Nandiyanto, A. B. D. (2021). Utilization of the Google Meet and Quiziz Applications in the Assistance and Strengthening Process of Online Learning during the COVID-19 Pandemic. *Indonesian Journal of Educational Research and Technology*, 1(1), 31-34
- Nicomedes, C. J. C., et. al., An Evaluation on existential crisis of Filipinos during the COVID-19 pandemic crisis, 2020.
- Pastor, C. K., Sentiment analysis of Filipinos and effects of extreme community quarantine due to coronavirus (Covid-19) pandemic, 2020.
- Putra, Z. A., and Abidin, S. A. Z. (2020). Application of SEIR model in COVID-19 and the effect of lockdown on reducing the number of active cases. *Indonesian Journal of Science and Technology*, 5(2), 185-192.
- Rahimi, F., and Talebi Bezmin Abadi, A. (2020). Ethical and sensible dissemination of information during the COVID-19 pandemic. *The American Journal of Bioethics*, 20(7), W4-W6.
- Razon, B. C. (2020). COVID 19: Impetus for “Community Spirits” among Filipinos. *Indonesian Journal of Science and Technology*, 5(2), 201-208.
- Sangsawang, T. (2020) An instructional design for online learning in vocational education according to a self-regulated learning framework for problem solving during the COVID-19 crisis. *Indonesian Journal of Science and Technology*, 5(2), 283-198.
- Song, X. J., Xiong, D. L., Wang, Z. Y., Yang, D., Zhou, L., and Li, R. C. (2020). Pain management during the COVID-19 pandemic in China: Lessons learned. *Pain Medicine*, 21(7), 1319-1323.