

JURNAL PENDIDIKAN KEPERAWATAN INDONESIA e-ISSN 2477-3743 p-ISSN 2541-0024

Factors Affecting Violence Against Women during the COVID-19 Pandemic: A Systematic Review

Lina Anisa Nasution*, Lisna Anisa Fitriana

Nursing Program, Faculty of Sport Education and Health, Universitas Pendidikan Indonesia, West Java, Indonesia *Corresponding email: linaanisa@upi.edu

ARTICLE INFO

HOW TO CITED:

Nasution, L.A. & Fitriana, L.A. (2020). Factors Affecting Violence Against Women during the COVID-19 pandemic : A Systematic Review : Studi Kasus. Jurnal Pendidikan Keperawatan Indonesia. 6(2), p. 171–177

DOI:

10.17509/jpki.v6i2.30086

ARTICLE HISTORY:

Received December 04, 2020

Revised December 09, 2020

Accepted December 10, 2020

Published December 15, 2020

ABSTRACT

Violence against women is one of the human rights solutions which tends to increase during the COVID-19 pandemic. Various factors increase the incidence of violence against women. This systematic literature review aims to identify the factors that influence the increase in incidence in women. Study literature on the Science Direct, Pubmed, Cinahl, EBSCO host and Cochrane Library databases. The research design set on this systematic review is cross sectional, RCT and review studies in 2019-2020. The initial search resulted in 313 articles and total of 5 articles were included in this systematic literature study through the PRISMA procedure and the Robvis bias assessment. The factors that influence the increase in the number of violence against women are personal factors, relationships, community and societal context.

Keywords (3-6): COVID-19, systematic review, violence, women.

ABSTRAK

Kekerasan pada perempuan merupakan salah satu pelanggaran hak asasi yang cenderung mengalami peningkatan selama pandemic COVID-19. Berbagai faktor meningkatkan angka kejadian kekerasan pada perempuan. Studi sitematik literatur ini bertujuan untuk mengidentifikasi faktor-faktor yang memengaruhi peningkatan kejadian kekerasan pada perempuan. Studi literatur pada database Science Direct, Pubmed, Cinahl, EBSCO host dan Cochrane Library. Desain penelitian yang termasuk dalam kriteria pencarian adalah cross sectional, RCT dan studi review pada tahun 2019-2020. Pencarian awal menghasilkan 313 artikel dan sebanyak 5 artikel termasuk dalam studi literatur sistematik ini setelah melalui prosedur PRISMA dan analisis bias penelitian menggunakan Robvis. Faktor yang memengaruhi peningkatan angka kekerasan pada perempuan adalah faktor personal, hubungan, komunitas dan konteks masyarakat.

Kata kunci (3-6) : COVID-19, kekerasan, perempuan, tinjauan sistematik literature.

INTRODUCTION

Violence against women is a common violation of human rights in which every country has cases of such violations. Women can experience violence in the form of physical, psychological, verbal and sexual violence (Nilan et al., 2014). Local culture or cultural context related to gender inequality between men and women affects the phenomenon of rampant violence against women (Hayati, 2013; Nilan et al., 2014). The condition of women's economic dependence on men is one of the highest triggers for violence against partners (Buntin, 2015; Fulu, 2018). There are many forms of violence including violence by an intimate partner, sexual assault, rape and other forms of sexual violence perpetrated by someone other than a partner, forced prostitution, trafficking of women and child sexual abuse (Fulu, 2018; Hayati, 2013; Nilan et al., 2014).

The incidence of violence against women in Indonesia is relatively increasing every year (Hayati, 2013; WHO, 2012). Various organizations such as government funded organizations, namely *Komnas Perempuan* and non-governmental organizations (NGOs) such as *Rifka Annisa* in Yogyakarta, specifically focus on highlighting cases of violence against women in Indonesia (Hayati, 2013). Every country in the world highlights cases of violence against women because the effects are very dangerous. Violence against women can cause physical and psychological injuries, such as mental disorders, decreased quality of life and death (Anne Bogat et al., 2016; Elghossain et al., 2019; WHO, 2011, 2012).

The COVID-19 pandemic is still at the center of global attention (Perez-Vincent et al., 2020; Setiati & Azwar, 2020; Sharma et al., 2020). The increase in the number of people with COVID-19 every day will certainly cause anxiety even though the governments of each country have established policies that are preventive, curative and rehabilitative (Oguntayo et al., 2020). One of the policies set is the lockdown or work from home policy which aims to reduce contact with crowds and prevent air transmission from the COVID-19 (Fontanesi Daniela; Mazza, Cristina; Di Giandomenico, Serena; Roma, Paolo; Verrocchio, Maria Cristina, 2020).

Several studies have shown that lockdown and work from home policies affect the dynamics in families, especially families with middle and low socioeconomics such as decreased family income, increased stress and are more prone to anger. (Evans, 2020; Fontanesi Daniela; Mazza, Cristina; Giandomenico, Serena; Di Roma, Paolo; Verrocchio, Maria Cristina, 2020; Oguntayo et al., 2020). Fear, anxiety and psychological distress due to prolonged territorial restrictions, closure of schools for children, economic strain and conditions of vulnerability to viruses or uncertainty about life have dramatic effects. The psychological distress resulted in violent behavior in which most of the

victims were women (Fontanesi Daniela; Mazza, Cristina; Di Giandomenico, Serena; Roma, Paolo; Verrocchio, Maria Cristina, 2020; Hamadani et al., 2020; Oguntayo et al., 2020). Cases of violence against women have also increased. This is influenced by several factors, such as personal and community factors (Perez-Vincent et al., 2020; Sharma et al., 2020). This systematic review study aims to identify the factors that influence the increase in the incidence of violence against women during the COVID-19 pandemic.

METHODS

This study is a systematic review. This study uses a procedure recommended in Preferred Reporting Items for Systematic Reviews and Meta Analyses (PRISMA). PRISMA focuses on ways in which authors can ensure the transparent and complete reporting of articles (Liberati et al., 2009)

Inclusion Criteria

The inclusion criteria are specified in the selection of research articles as follows. (1) Type of research. The research type consists of RCT, quasi experimental, cross sectional, systematic review, and qualitative research. (2) Type of participants/respondents. The population in this systematic review study is women who have experienced physical violence during the COVID-19 pandemic. (3) The outcome of article selected in this study is factors affecting an increase in the number of cases of violence against women during the COVID-19 pandemic.

Exclusion Criteria

Research with respondents of women who have experienced violence during the COVID-19 pandemic who have mental disorders.

Searching literature

The articles are traced from several electronic databases namely Science Direct, PubMed, Cochrane Library, Ebsco, and CINAHL. The articles are limited to the year 2019-2020. The terminology used to do a search is 'factors', 'violence', 'women', 'pandemic COVID-19'. Language is limited to studies in English.

Critical Appraisal and Risk of Bias Assessment

Research criticism was carried out on nine selected articles using The Critical Appraisal Skills Program (CSAP). The research critique analysis method using the CASP instrument was carried out based on each research design. A total of three articles with narrative and integrative review designs were analyzed with CSAP for review type research. One research article with cross sectional research designs were analyzed by using CSAP for cross sectional study. An research article with RCT research designs were analyzed by using CSAP for RCT study.

Five articles were analyzed through data extraction. Variables acquired through data extraction were: authors name(s), year of study and publication, intervention method, and study findings. All the items were included in the table of data extraction. We used the free software called the Risk-of-bias VISualization (robvis) to visualizing risk-of-bias assessments (McGuinness & Higgins, 2020). The results of bias assessed are shown in Figure 2.

RESULT

The characteristics of the selected studies are outlined in Table 1. We developed a table from five articles selected for this study. Figure 1 shows the flow of article selection using the PRISMA procedure. Figure 2 shows the results of biased selection for each selected article using Robvis software.



Figure 1. Result of a Systematic Search in Databases

No	References	Study Design	Methods	Result
1.	Silva et al.	Narrative Review	on the PubCovid-19 platform. The search strategy used "Domestic	This review shows three factors that influence violence against women during a pandemic, namely economic instability, alcohol and other drugs use/abuse, and weaker women's support network.
2.	Sanchez et al.	Integrative review	The author reviews 38 selected articles according to the established criteria.	There are 4 domains of factors that influence violence against women during a pandemic, namely individual, relationship, community and societal factors.
3.	Moreira & Costa	Narrative Review	The author reviews 35 selected articles according to the specified criteria	Factors that influence violence against women during pandemic are individual, relationship and community / societal factors
4.	Hamadani et al.	RCT	RCT time series design on 2424 women	Factors that influence violence against women are the economic crisis, the husband's personal stress due to losing his job and feeling helpless.
5.	Gebrewahd et al.	Cross sectional	study to 682 participants. The data were collected during theperiod of April to	Some of the factors that influence the high rate of violence against women during the COVID-19 pandemic are husbands' level of education, women being a housewife, and marrying with arranged marriage.

Table 1. Description of Studies Included in the Systematic Review



Figure 2. Risk of Bias Summary: Review Authors' Judgements About Each Risk of Bias Item for Each Included Study Used Robvis

DISCUSSION

Selected articles in this study show that the condition of economic instability during a pandemic is one of the factors that triggers stress in the family that causes high levels of violence against women by intimate partners or called intimate partner violence (da Silva et al., 2020; Gebrewahd et al., 2020; Hamadani et al., 2020; Moreira & da Costa, 2020; Sánchez et al., 2020). This makes the husband experience stress and feel helpless and express these feelings through rude attitudes and / or hurt his wife. These factors are grouped into personal (individual) factors, relationship, community and social factors (da Silva et al., 2020; Gebrewahd et al., 2020; Hamadani et al., 2020; Moreira & da Costa, 2020; Sánchez et al., 2020).

Personal factors that influence the high level of violence against women are stress, anxiety, depression, and mental health issues. Besides that, loss of job and decreased income, financial problems, abuse of alcohol and substance. Fear of catching COVID-19 and feelings of uncertainty are linked to transmission of the virus. The home school policy for children makes child care responsibilities and stress increases (da Silva et al., 2020; Gebrewahd et al., 2020; Hamadani et al., 2020; Moreira & da Costa, 2020).

Relationship factors that influence the high rate of violence against women during a pandemic are dependence on partners, increased controlling behavior, tense situations in the family, lack of assertive communication and fatigue. In addition, the decrease in social contacts and support around. Community factors also influence the high rate of violence against women, namely the difficulty of accessing social support and the difficulty of accessing sexual reproductive health services (da Silva et al., 2020; Gebrewahd et al., 2020; Hamadani et al., 2020).

Societal factors that affect the high rate of violence against women during a pandemic are various policies related to crises in the health, economy and social crises. Restrictions on activities or difficulty in accessing normal activities in the community. Lack of implementation of firm policies related to issues

REFERENCES

- Anne Bogat, G., Levendosky, A. A., & Garcia, A. M. (2016). Intimate Partner Violence. *Psychodinamic Psychiatry*, *December*, 411–416. https://doi.org/10.1016/B978-0-12-397045-9.00237-8
- Buntin, J. T. (2015). Intimate Partner Violence. International Encyclopedia of the Social &

JPKI 2020 Vol. 6 No.2

of violence against women (da Silva et al., 2020; Gebrewahd et al., 2020; Moreira & da Costa, 2020; Sánchez et al., 2020).

The factors that influence the high rate of violence against women can then be overcome by knowing the preventive interventions that can be pursued. The New Normal era, which currently continues to coexist with the COVID 19 pandemic case with fluctuative numbers, is an urgent matter that needs attention (Evans, 2020; Oguntayo et al., 2020). In addition, the existing policy on sanctions against perpetrators of violence against women also needs to be assessed for its application. Furthermore, women also have the right to know the protection rights inherent in themselves so that they do not hesitate to disclose if they find themselves injured to report immediately and get immediate protection.

CONCLUSION

The COVID-19 pandemic has an impact on various sectors such as the health sector, socioeconomics which are one of the predictors of an increase in violence against women. Increased stress is mainly due to decreased especially in low and middle income, socioeconomic families, accompanying school activities from home as well as personal, community, societal and relationship context factors that affect the high level of violence against women. Therefore, further research is needed related to stress prevention interventions or stress management to prevent an increase in violence against women, especially during this pandemic, the time limit of which cannot be predicted.

Behavioral Sciences: Second Edition, 685–688. https://doi.org/10.1016/B978-0-08-097086-8.35026-7

da Silva, A. F., Estrela, F. M., E Soares, C. F. S., de Magalhães, J. R. F., Lima, N. S., Morais, A. C., Gomes, N. P., & Lima, V. L. de A. (2020). Marital violence precipitating/ intensifying elements during the covid-19

pandemic. *Ciencia e Saude Coletiva*, 25(9), 3475–3480. https://doi.org/10.1590/1413-81232020259.16132020

- Elghossain, T., Bott, S., Akik, C., & Obermeyer, C.
 M. (2019). Prevalence of intimate partner violence against women in the Arab world:
 A systematic review. *BMC International Health and Human Rights*, 19(1), 1–16. https://doi.org/10.1186/s12914-019-0215-5
- Evans, D. P. (2020). COVID-19 and violence: a research call to action. *BMC Women's Health*, 20(1), 10–12. https://doi.org/10. 1186/s12905-020-01115-1
- Fontanesi Daniela; Mazza, Cristina; Di Giandomenico, Serena; Roma, Paolo; Verrocchio, Maria Cristina, L. M. (2020).
 The effect of the COVID-19 lockdown on parents: A call to adopt urgent measures. *Psychological Trauma: Theory, Research, Practice and Policy.*
- Fulu, E. (2018). Literature Review: Ending Violence Against Women and Girls. Literature Review, November, 1–82. https://dfat.gov.au/aid/how-we-measureperformance/ode/strategicevaluations/Documents/literature-reviewending-violence-against-women-andgirls.pdf
- Gebrewahd, G. T., Gebremeskel, G. G., & Tadesse,
 D. B. (2020). Intimate partner violence against reproductive age women during COVID-19 pandemic in northern Ethiopia 2020: A community-based cross-sectional study. *Reproductive Health*, 17(1), 1–8. https://doi.org/10.1186/s12978-020-01002-w
- Hamadani, J. D., Hasan, M. I., Baldi, A. J., Hossain, S. J., & Shiraji, S. (2020).
 Immediate impact of stay at home orders to control Covid-19 transmission on socioeconomic conditions, food insecurity, mental health and intimate partner violence in Bangladeshi women and their families: an interrupted time series. *Lancet*.
- Hayati, E. N. (2013). Domestic violence against women in rural Indonesia Searching for multilevel prevention. In *Umeå University Medical Dissertations* (Issue 1617).

umu.diva-portal.org/smash/record.jsf?pid= diva2:665851

- Liberati, A., Altman, D. G., Tetzlaff, J., Mulrow,
 C., Gøtzsche, P. C., Ioannidis, J. P. A.,
 Clarke, M., Devereaux, P. J., Kleijnen, J., &
 Moher, D. (2009). The PRISMA statement
 for reporting systematic reviews and metaanalyses of studies that evaluate health care
 interventions: Explanation and elaboration. *PLoS Medicine*, 6(7). https://doi.org/
 10.1371/journal.pmed.1000100
- McGuinness, L. A., & Higgins, J. P. T. (2020). Risk-of-bias VISualization (robvis): An R package and Shiny web app for visualizing risk-of-bias assessments. *Research Synthesis Methods*, *February*, 1–7. https://doi.org/10.1002/jrsm.1411
- Moreira, D. N., & da Costa, M. P. (2020). The impact of the Covid-19 pandemic in the precipitation of intimate partner violence. *International Journal of Law and Psychiatry*, 71, 1–6.
- Nilan, P., Demartoto, A., Broom, A., & Germov, J. (2014). Indonesian Men's Perceptions of Violence Against Women. *Violence Against Women*, 20(7), 869–888. https://doi.org/ 10.1177/1077801214543383
- Oguntayo, R., Popoola Abiola O, Opayemi Remi S, Faworaja Omolara R, & Olaseni Abayomi O. (2020). Spousal Violence in the Era of Covid-19 Lockdown: the Implication of Socioeconomic Distress and Contextual Factors. *Ilorin Journal of Economic Policy Special Issue*, 7(3), 51–60.
- Perez-Vincent, S. M., Carreras, E., Gibbons, M. A., Murphy, T. E., & Rossi, M. (2020). COVID-19 Lockdowns and Domestic Violence: Evidence from Two Studies in Argentina. Banco Interamericano de Desarrollo. https://publications.iadb.org/en/node/28384
- Sánchez, O. R., Vale, D. B., Rodrigues, L., & Surita, F. G. (2020). Violence against women during the COVID-19 pandemic: An integrative review. *International Journal of Gynecology and Obstetrics*, 151(2), 180– 187. https://doi.org/10.1002/ijgo.13365
- Setiati, S., & Azwar, M. K. (2020). COVID-19 and Indonesia. *Acta Med Indones, April.*

- Sharma, V., Scott, J., Kelly, J., & Vanrooyen, M. J. (2020). Prioritizing vulnerable populations and women on the frontlines: COVID-19 in humanitarian contexts. *International Journal for Equity in Health*, 19(1), 4–6. https://doi.org/10.1186/s12939-020-01186-4
- WHO. (2011). Responding to intimate partner violence and sexual violence against women. www.who.int/reproductivehealth
- WHO. (2012). Global and regional estimates of violence against women: prevalence and health effects of intimate partner violence and non-partner sexual violence (Vol. 66).