



DEVELOPMENT OF INSTRUMENT PHYSICAL ABILITIES MOUNTAINEERS

(VALIDITY AND RELIABILITY TEST PHYSICAL FITNESS AND MOTOR FITNESS MOUNTAINEERS)

AR. Kurniawan^{1*}, A. Rohendi², UA. Ropi³, M. Chamim⁴

¹²³PdD student in the Sport Education Study Program at the School of Postgraduate Universitas Pendidikan Indonesia and a lecturer at the Faculty of Teacher Training and Education, Universitas Galuh, Ciamis, Indonesia

⁴Sport Education Study Program at the School of Postgraduate Universitas Pendidikan Indonesia, Indonesia

Abstract

Outdoor sports activities require excellent skills in situations of high physical stress, so physical condition plays a vital role in supporting the success of mountaineering. Objectives; This study aims to test the validity and reliability of the physical fitness and motor fitness components as a reference for determining the optimal physical performance of mountain climbers. Methods; The method used is Research and Development, the participants this 7 mountaineers on 18 peaks for 12 days at an altitude of 3000 MDPL in Indonesia. The sampling technique used was total sampling. The analysis used is content validity and construct validity. Data analysis was carried out, namely the first to sixth steps, namely the stage of developing standard indicators for physical abilities components in terms of physical fitness and motor fitness. The seventh to tenth steps are the instrument development stage. The small-scale test was used as a product development trial to test the validity and reliability of the test instrument. A large-scale test to develop norms and standards for assessing mountaineer's physical abilities test instruments. Result; The components of developing the physical abilities test for mountaineers include physical fitness factors, including cardiorespiratory endurance fitness (Balke test), muscular strength and power (jump decathlon test), muscular endurance (wall squat test), flexibility (Static Flexibility Test – Hip and Trunk), body composition (BMI and % fat content). Motor fitness factors include speed (running 35 m speed test), agility (hexagonal obstacle test), coordination (Hand and eye coordination test), balance (standing stroke test), and reaction time (whole-body reaction). Conclusion; the physical abilities component of mountaineers has a substantial correlation value, and the test instrument can be used as an evaluation method to measure mountaineers' physical and motor fitness.

Keyword: Physical abilities, motor fitness, physical fitness, mountaineers

*Corresponding address: Jl. R. E. Martadinata No. 150 Ciamis, West Java, Indonesia

*Corresponding e-mail: aridwank@unigal.ac.id

1. INTRODUCTION

Mountains are one of the most popular tourist destinations among outdoor enthusiasts. Millions of hikers (trekkers) and mountain climbers (hikers) visit mountainous areas for different purposes. This shows that the mountains have become a mass tourist destination for connoisseurs of activities at high altitudes. Mountaineering is an adventure sport that outdoor activists have long

practiced based on physical activity, challenges, and exercise media for risk-taking (Apollo, 2017). Because mountaineering has become mass tourism due to the increasing frequency of visits to mountainous areas, it will also impact significant ecological changes. These ecological changes have positive and negative impacts. However, it is very worrying that there will be many negative changes in the surrounding environment if they are not addressed early on (Apollo & Andreychouk, 2020). Ecological changes include outdoor activists, especially mountain climbers. The majority need to gain fundamental knowledge of mountain climbing activities due to the democratization process, facilitated by convenience, including climbing administration, still attaching importance to personal economic needs with many climbing service agents. Uncertified climate change around the hiking trails due to uncontrolled human activities on the hiking trails and the cleanliness of the mountain will be polluted with much garbage on the hiking trails (Beedie & Hudson, 2003).

Climbing a mountain means stepping into a space of ignorance filled with uncertainty (Gilchrist, 2008). This statement implies that climbing a mountain is the same as challenging the dangers that at any time turn into a disaster, even death. Such harsh natural challenges are the main attraction for adventurous people. This means that not all mountain climbers will experience the things they fear because, with common sense, people can control the dangers around them so that accidents do not happen to them (Rokowski et al., 2017).

The primary role of success in mountain climbing is not only viewed from one side, but all components contribute. One of these points, for example, regarding physical and mental conditions, is the most critical requirement. The basic concept of safety is that accidents are more likely to occur in physically, psychologically, and socially unfit people. Thus, people who are healthy or fit physically and mentally can reach the top of the mountain and complete the climb (Sukarmin, 2016). Furthermore, the components of mountain climbers' physical condition (physical ability) can be determined by the level of general fitness and motor or special fitness. The description of the general fitness level consists of 1) Endurance (cardiorespiratory fitness); 2) Muscular strength; 3) Muscular endurance; 4) Flexibility; 5) Body composition, and at a specific level of fitness (motor), including 1) Speed; 2) Agility; 3) Balances; 4) Coordination, and 5) Reaction Time (Cooke, Bunting, and Hara 2010). Physical ability training plays a critical role in mountaineering activities. Since success in sports often requires excellent skill in situations of high physical stress, it is clear that physical condition plays a significant role in supporting successful climbing (Blake, Stanulewicz, and McGill, 2017; Chamim et al., 2022).

Furthermore, physical conditions become the main capital in a climb where, if a climber has an excellent dynamic health degree, the climber has to walk for hours in unpredictable weather conditions without any burden. The body has many benefits if the climber has physical fitness in the good category. Thus the factor of physical condition (Physical ability) becomes the principal capital in mountaineering activities and requires climbers to adapt to time quickly, weather, steep roads, and objective and subjective hazards (Rahman, Sugiyanto, and Kristiyanto 2018). Therefore, the physical exercise program (periodization training) must be well planned and systematically arranged to benefit functional abilities and improve physical fitness so that mountain climbing is most likely to be achieved successfully and safely (Sidik, Pesurnay, and Afari 2019).

A scientific discipline requires evaluation to determine the extent to which the program has achieved particular success. All the goals and objectives can be known as success from what has been evaluated and measured. Evaluation, with tests as a measuring tool and measurement as a data collection process, is a job that must be done to determine the extent to which an effort has achieved the expected results. Based on this explanation, the researchers tested the physical abilities test evaluation tool for mountaineers of 18 peaks for 12 days at an altitude of 3000 MDPL in Indonesia.

2. METHODS

The method in this research is Research and Development. The development of research instruments determines to what extent something is valuable, of quality, or value to the instrument. Development focuses on the product or effect produced under all the instructional objectives that should be achieved. The development of the instrument has several stages, such as determining the constructs, variables, characteristics of the type of measurement, types of measurement instruments, validity, and reliability in measuring instrument assessments. This research aims to develop a mountain climber's physical abilities test product.

Participant

We collected data from 7 mountaineers aged between 18 and 19 years (ages 18 = 4 and 19 = 3), and they were elite mountaineers with 20 mountaineering experiences/year.

Population & Sample

The population in this study is members of extracurricular PAMOR (Pencinta Alam Mahasiswa Olahraga) Universitas Pendidikan Indonesia participated in the selection to become a climbing team totaling 7 mountaineers. The sample is a subgroup of the target population determined by the researcher to be studied. It is from this sample that the researcher obtains the necessary information (Fraenkel, Wallen, and Hyun, 2012). The sampling technique used in this study is total sampling. Total sampling is a technique where the number of samples equals the population, and the total population is less than 100 (Fraenkel, Wallen, and Hyun 2012). The number of samples is the total population of 7 mountaineers.

Instrument

The instrument used in this study was a systematic observation, using a battery test consisting of components in physical abilities (motor fitness and physical fitness). The instrument has not been tested for validation and reliability, so an in-depth study of the test aid is needed.

Procedure

The procedure for developing a physical abilities test consisting of motor fitness and physical fitness (Morrow, Mood, and Disc, 2015) is as follows:

1. The first step is to review the criteria for a physical abilities test consisting of motor fitness and physical fitness based on references that are considered appropriate to the needs of this study. This criteria for a review of several components of mountain climbers' physical abilities, including endurance, cardiorespiratory fitness, muscular strength and power, muscular endurance, flexibility, body composition, speed, agility, coordination, balance, and reaction time (Cooke, Bunting, and Hara 2010).
2. The second step is to analyze the physical skills of the sport that will be measured and used as experimental test items. The test items for each component of mountain climbers' physical abilities include the balke test, jump decathlon test, wall squat test, Test – Hip and Trunk, BMI & fat percentage, 35-meter speed test, hexagonal obstacle test, Hand and eye coordination test, standing stroke test, whole-body reaction (Winter et al. 2016; Mackenzie, 2005b; Jaiswal, 2018; Mackenzie, 2005a; Morrow, Mood, and Disc, 2015).
3. The third step is to conduct a literature review. Based on the literature review and discussions with experts, the indicators for physical abilities (motor fitness and physical fitness) are as follows:
 - a. *Physical fitness* of endurance cardiorespiratory fitness (balke test); muscular strength and power (jump decathlon test); muscular endurance (wall squat test); flexibility (Static Flexibility Test – Hip and Trunk); body composition (BMI and fat percentage)

- b. *Motor fitness* of speed (running 35 meters speed test); agility (hexagonal obstacle test); coordination (Hand and eye coordination test); balance (standing stroke test); reaction time (whole-body reaction).
4. The fourth step is a pilot study or small-scale trial of the instrument that the experts have agreed upon to obtain an initial score as material for testing the validity and reliability of the instrument.
5. The fifth step is to get the value of validity and reliability on a small scale.
6. The sixth step is to determine test norms and standards using large-scale tests.
7. The seventh step is to construct the test for the final product.

Data Analysis

The data analysis technique in this study analyzed the validity of the content validity and construct validity tests. Furthermore, the reliability test in this study used the test-retest method, and the reliability coefficient was calculated using Cronbach's alpha. The next step is to determine the norm with a large-scale trial.

The data is measured using a battery test by changing the data in the form of a z score using the following formula:

$$ZScore = \frac{x - \bar{x}}{St.dev}$$

Furthermore, the processing results from the Z-score are converted into T-score data to equate the units, while the formula is as follows:

$$TScore = 50 \pm 10 * \left(\frac{x - \bar{x}}{St.Dev} \right)$$

The next step is testing the validity and reliability based on the overall score.

3. RESULT

3.1 Testing Validity and Reliability on a Small Scale

Validity and reliability of the test instrument using the test-retest test or the data obtained from two observations using the same instrument.

a. Mountaineers Physical Abilities Validity Test

The results of testing the validity of the mountain climber's physical abilities test instrument are as follows:

Table 1. Results of the Physical Abilities Instrument Validity Test for mountaineers

Component	Subcomponents	r count	r table	Information
<i>Physical fitness</i>	<i>Endurance cardiorespiratory fitness</i>	0.914	0.669	Valid
	<i>muscular strength and power</i>	0.759		Valid
	<i>muscular endurance</i>	0.893		Valid
	<i>flexibility</i>	0.896		Valid
	<i>body composition</i>	0.746		Valid
<i>Motor fitness</i>	<i>Speed</i>	0.792		Valid
	<i>Agility</i>	0.735		Valid
	<i>Coordination</i>	0.896		Valid
	<i>Balance</i>	0.907		Valid
	<i>Reaction time</i>	0.735		Valid

Table 1 shows that the research test results are compared with the value of r table N=7 with a 5% significance level of 0.669.

b. Mountaineers Physical Abilities Reliability Test

The results of the reliability test in this study are as follows:

Table 2. Physical Abilities Reliability Test Results in Mountaineers

Component	Subcomponents	Cronbach's Alpha Coefficient	Information
Physical fitness	Endurance cardiorespiratory fitness	0.947	Reliable
	muscular strength and power	0.936	Reliable
	muscular endurance	0.946	Reliable
	flexibility	0.938	Reliable
	body composition	0.944	Reliable
Motor fitness	Speed	0.946	Reliable
	Agility	0.937	Reliable
	Coordination	0.938	Reliable
	Balance	0.938	Reliable
	Reaction time	0.946	Reliable

The reliability testing results on all test instruments show a reliability coefficient value > 0.6 . These results show that all mountain climbers' physical abilities test instruments are reliable and feasible for large-scale research data collection.

3.2 Norms and Standards for Assessment of Physical Abilities for Mountaineers

The data collection results in large-scale tests are used to make norms and standards for assessing mountain climbers' physical abilities. The preparation of norms and assessment standards is based on the Norm Reference Benchmark (PAN), which is based on the calculated mean and standard deviation. Formulation of the formula for calculating norms and standards using 4 categories: very good, good, moderate, and low. The formula for determining the criteria, according to Sugiyono (2013), is as follows:

Table 3. The formula for the Calculation of Norms and Standards
(Sugiyono 2013)

Criteria	Formula
Very good	$X \geq (M + 1,5SD)$
Good	$M \leq X < (M + 1,5SD)$
Enough	$(M - 0,5SD) \leq X < M$
Low	$(M - 1,5SD) \geq X$

The results of large-scale test data and the calculation of the norms and standards of test assessment *physical abilities* of Mountain climber is as follows:

Table 4. Descriptive Test of Physical Abilities Mountaineers

Component	Subcomponents	N	Minimum	Maximum	Mean	Std. Deviation
Motor Fitness	Endurance cardiorespiratory fitness	7	46.23	52.41	49.07	2.192
	Muscular strength and power		45	58	50.86	4.706
	Muscular endurance		65	88	76.43	8.923
	Flexibility		29.3	43.6	37.3	5.069
	Body composition		15.15	20.85	18.68	2.306
Motor Fitness	Speed		4.00	5.59	4.84	0.57
	Agility		12.46	13.44	13.13	0.422
	Coordination		12	18	15	2.081
	Balance		45	62	50	6.083
	Reaction time		5	8	6.29	0.951

Based on the table, each component's *physical abilities* of the Mountain climber are distributed in calculating norms and standards. The distribution results are as follows:

Table 5. Norms and Standards of Assessment of Each Physical Abilities Component of Mountaineers

Endurance cardiorespiratory fitness		Speed	
Score Interval	Criteria	Score Interval	Criteria
$X \geq 52.36$	Very good	$X \geq 5.70$	Low
49.07 $\leq s.d < 52.36$	Good	4.84 $\leq s.d < 5.70$	Enough
47.97 $\leq s.d < 49.07$	Enough	4.56 $\leq s.d < 4.84$	Good
$X \leq 45.78$	Low	$X \leq 3.99$	Very good

Muscular strength and power		Agility	
Score Interval	Criteria	Score Interval	Criteria
$X \geq 57.92$	Very good	$X \geq 13.76$	Low
50.86 $\leq s.d < 57.92$	Good	13.13 $\leq s.d < 13.76$	Enough
48.51 $\leq s.d < 50.86$	Enough	12.92 $\leq s.d < 13.13$	Good
$X \leq 43.80$	Low	$X \leq 12.50$	Very good

Muscular endurance		Coordination	
Score Interval	Criteria	Score Interval	Criteria
$X \geq 89.81$	Very good	$X \geq 18.12$	Very good
76.43 $\leq s.d < 89.81$	Good	15 $\leq s.d < 18.12$	Good
71.97 $\leq s.d < 76.43$	Enough	13.96 $\leq s.d < 15.00$	Enough
$X \leq 63.05$	Low	$X \leq 11.88$	Low

Flexibility		Balance	
Score Interval	Criteria	Score Interval	Criteria
$X \geq 44.90$	Very good	$X \geq 59.12$	Very good
37.3 $\leq s.d < 44.90$	Good	50 $\leq s.d < 59.12$	Good
34.77 $\leq s.d < 37.30$	Enough	46.96 $\leq s.d < 50.00$	Enough
$X \leq 29.70$	Low	$X \leq 40.88$	Low

Body composition		Reaction Time	
Score Interval	Criteria	Score Interval	Criteria
$X \geq 22.14$	Very good	$X \geq 7.72$	Very good
18.68 $\leq s.d < 22.14$	Good	6.29 $\leq s.d < 7.72$	Good
17.53 $\leq s.d < 18.68$	Enough	5.81 $\leq s.d < 6.29$	Enough
$X \leq 15.22$	Low	$X \leq 4.86$	Low

After calculating the norms and standards of physical skill tests for each component, then the overall physical abilities of mountain climbers are calculated. Because the data is measured using a battery test, the normal calculation results are as follows.

Table 6. Norms and Standards for Assessment of Physical Abilities for Mountaineers

Score Interval	Criteria
$X \geq 631.48$	Very good
501.15 $\leq s.d < 631.48$	Good
457.71 $\leq s.d < 501.15$	Enough
$X \leq 370.83$	Low

4. DISCUSSION

Physical conditions are the main capital in a climb where, if a climber has good dynamic health. Without any burden, the climber has to walk for hours in unpredictable weather conditions. The body

has many benefits if the climber has physical fitness in the good category. Thus the factor of physical condition (Physical ability) becomes the main capital in mountaineering activities and requires climbers to quickly adapt to time, weather, steep roads, and objective and subjective hazards (Rahman et al., 2018). Therefore, the physical exercise program (periodization training) must be well planned and systematically arranged to benefit functional abilities and improve physical fitness so that mountain climbing is most likely to be achieved successfully and safely (Sidik et al., 2019). In addition, the risk is caused by a lack of physical preparation. The changes caused by altitude are metabolic changes marked by increased carbohydrate oxidation (CHO) on total energy expenditure (Brooks et al., 1991). To reduce the risk of climbing accidents caused by decreasing physical condition, they need to optimize the performance of aerobic metabolism (McClelland, Hochachka, and Weber 1998). So the importance of an accurate plan in forming physical conditions in mountaineering because activities carried out at high altitudes also affect aerobic and anaerobic performance (Gore et al., 1996), given the validity and reliability of an instrument.

5. CONCLUSION

The physical abilities component of mountain climbers has a strong correlation value. The test instrument can be used as an evaluation method to measure mountain climbers' physical and motor fitness.

6. REFERENCES

- Apollo, Michal. 2017. "The True Accessibility of Mountaineering: The Case of the High Himalaya." *Journal of Outdoor Recreation and Tourism* 17 (December 2016): 29–43. <https://doi.org/10.1016/j.jort.2016.12.001>.
- Apollo, Michal, and Viacheslav Andreychouk. 2020. "Mountaineering and the Natural Environment in Developing Countries: An Insight to a Comprehensive Approach." *International Journal of Environmental Studies* 77 (6): 942–53. <https://doi.org/10.1080/00207233.2019.1704047>.
- Beedie, Paul, and Simon Hudson. 2003. "Emergence of Mountain-Based Adventure Tourism." *Annals of Tourism Research* 30 (3): 625–43. [https://doi.org/10.1016/S0160-7383\(03\)00043-4](https://doi.org/10.1016/S0160-7383(03)00043-4).
- Blake, Holly, Natalia Stanulewicz, and Francesca McGill. 2017. "Predictors of Physical Activity and Barriers to Exercise in Nursing and Medical Students." *Journal of Advanced Nursing* 73 (4): 917–29. <https://doi.org/10.1111/jan.13181>.
- Chamim, Miftachul, Nurlan Kusmaedi, Mulyana, and Asep Ridwan Kurniawan. 2022. "Components of Physical Abilities on a Fast Climb 18 Peaks 12 Days at Altitudes Above 3000 MDPL." *Competitor: Jurnal Pendidikan Kepeleatihan Olahraga* 14 (1): 40–50.
- Cooke, Carlton, Dave Bunting, and John O Hara. 2010. *Mountaineering: Training and Preparation*.
- Fraenkel, Jack R, Norman E Wallen, and Helen H Hyun. 2012. *How to Design And Evaluate Research In Education* 8th Edition. 8th ed. Americas, New York, NY 10020: McGraw-Hill, a business unit of The McGraw-Hill Companies, Inc.
- Gilchrist, Paul. 2008. "Heroic Leadership , Mountain Adventure and Englishness : John Hunt and Chris Bonington Compared." *Midrash Publishing*, 1–19.
- Jaiswal, Ajeet. 2018. "Physical Performance Test," no. October: 1–13.
- Mackenzie, Brian. 2005a. *Performance Evaluation Tests*. Edited by Jonathan Pye. British Library London: Electric Word plc.
- . 2005b. *The Nine Key Elements of Fitness*. London.
- Morrow, James R., Dale P. Mood, and James G. Disch. 2015. *Measurement and Evaluation in Human Performance*. 5th ed. Champaign, United States: Human Kinetics.
- Rahman, Faisal Adam, Sugiyanto Sugiyanto, and Agus Kristiyanto. 2018. "Benefits Recreational Sports of Mountain Climbing for Physical Health, Psychology, Social, and Spiritual." *International*

Journal of Multicultural and Multireligious Understanding 5 (5): 43.
<https://doi.org/10.18415/ijmmu.v5i5.292>.

Rokowski, Robert, Marcin Maciejczyk, Zbigniew Szygula, and Nowy Sacz. 2017. "Body Build , Strength and Endurance Performance in Elite Sport and Alpine Climbers – a Pilot Study." *Journal of Kinesiology and Exercise Sciences* 79 (27): 31–39.

Sidik, Dikdik Zafar, P L Pesurnay, and L Afari. 2019. "Pelatihan Kondisi Fisik." Bandung: PT. Remaja Rosdakarya.

Sugiyono, Dr. 2013. "Metode Penelitian Pendidikan Pendekatan Kuantitatif, Kualitatif Dan R&D."

Sukarmin, Yustinus. 2016. "Persiapan Fisik Bagi Pendaki Gunung: Sebuah Alternatif Pencegahan Kecelakaan." *Cakrawala Pendidikan* 1 (1): 91–102. <https://doi.org/10.21831/cp.v1i1.9166>.

Winter, Edward M., Andrew M. Jones, R.C. Richard Davison, Paul D. Bromley, and Thomas H. Mercer. 2016. *Sport and Exercise Physiology Testing Guidelines*. *Sport and Exercise Physiology Testing Guidelines*. <https://doi.org/10.4324/9780203708422>.